


AG<sup>®</sup>

ARTGLO

**PU stone veneer**





1

## 9 blocks PU component

PU hollow component rectangle

Color: 3 colors available

Application: partition wall/door head/background wall


Thickness: 25MM

Specification: 1200 \* 600 MM



1200\*600\*25MM

COLOUR NO:2  
COLOUR NAME:HANYU WHITE



1200\*600\*25MM

COLOUR NO:7  
COLOUR NAME:LIGHT BLACK



2

## 9 blocks PU component


PU hollow component circular

Color: 2 colors available

Application: partition wall/door head/background wall


Thickness: 25MM

Specification: 1200 \* 600 MM



1200\*600\*25MM

COLOUR NO:2  
COLOUR NAME:HANYU WHITE



1200\*600\*25MM

COLOUR NO:7  
COLOUR NAME:LIGHT BLACK





3 PU STONE PANEL

Product name: PU stone wall panels

Material: PU polyurethane

Features: lightweight/flame retardant/waterproof/moisture-proof/easy to install

Application: indoor and outdoor decoration

Thick spec: 1200 \* 600 \* 50MM

P U s t o n e s k i n / m u s h r o o m s t o n e



**3**

**PU STONE PANEL**

Color: 2 colors available

Application: partition wall/door head/background wall

Thickness: 50MM

Specification: 1200 \* 600 MM



**MODEL: H002**  
**COLOUR NO: 2**  
**THICKNESS:50MM**



**MODEL: H002**  
**COLOUR NO: 3**  
**THICKNESS:50MM**



**MODEL: H002**  
**COLOUR NO: 4**  
**THICKNESS:50MM**



**MODEL: H002**  
**COLOUR NO: 10**  
**THICKNESS:50MM**



**3** PU STONE PANEL

Color: 2 colors available

Application: partition wall/door head/background wall

Thickness: 50MM

Specification: 1200 \* 600 MM



**MODEL: H002**  
**COLOUR NO: 11**  
**THICKNESS:50MM**



**MODEL: H002**  
**COLOUR NO: 15**  
**THICKNESS:50MM**



**MODEL: H002**  
**COLOUR NO: 2**  
**THICKNESS:50MM**



**MODEL: H002**  
**COLOUR NO: 5**  
**THICKNESS:50MM**






**3** PU STONE PANEL

Color: 2 colors available

Application: partition wall/door head/background wall

Thickness: 50MM


Specification: 1200 \* 600 MM




**MODEL:** H002

**COLOUR NO:** 6

**THICKNESS:**50MM







PU STONE PANEL

Installation steps

Portable, easy to install and natural to pave

Free cutting during construction and installation



front

Back side

Installation steps

**METHOD 1:**

1. Dimension measurement
2. Leveling
3. Fix with lock screws

**METHOD 2:**

1. Dimension measurement
2. Leveling
3. Fixed with structural adhesive and air nail gun

4 PU FEATHER STONE

Product name: PU feather stone

Material: polyurethane

Compression resistance: 600 (MPa)

Area: 0.18 m<sup>2</sup>/piece

Model size: 900MM\*200MM

Thickness: 20-50MM

Applicable: interior and exterior walls/background walls/partitions/door heads/commerce/hotels, etc



**SIZE:** 900\*200MM  
**MODEL:** F001  
**COLOUR NO:** 2



**SIZE:** 900\*200MM  
**MODEL:** F001  
**COLOUR NO:** 5



**SIZE:** 900\*200MM  
**MODEL:** F001  
**COLOUR NO:** 4

